



COATINGS SYSTEMS CHART



*Denotes Energy Star Compliance for

Reflectivity

System	Description		Application
Metal (Polyurethane)	PU Primer	Primer Surfacer	Metal primer - protects metal surface from rust, corrosion & chemical action, aluminum pigmented
	PU Sealant	HER	Sealant for metal roof fasteners, penetrations & seams
	PU Finish Coat	ET 300 FC	UV resistant finish coat, aluminum pigmented or white
Metal (Acrylic)	Primer	EG 2000	Water-based metal primer
	PU Sealant	HER	Sealant for metal roof fasteners, penetrations & seams
	Acrylic Finish Coat	EG 1000	Top coating
		EG 1000 Winter	Top coating tinted light blue to speed drying time and bleaches to white over time
		EG 1000 QC	Top coating that cures independently of ambient humidity
		EG GC	Top Coating
Kynar Coated Metal	Primer	ReflectiPrime	Primer for fluoropolymer (Kynar and Hylar) painted metal roofs
	PU Sealant	HER	Sealant for metal roof fasteners, penetrations & seams
	Finish Coat	ReflectiClean	Coating for fluoropolymer (Kynar and Hylar) painted metal roofs
Single Ply (Polyurethane)	Primer	Primer I	PU primer for single-ply restoration of EPDM, CSPE (Hypalon), to improve adhesion
	PU Base Coat	ET 300 BC	High solids, aromatic base coat
	PU Finish Coat	ET 300 FC	UV resistant finish coat, aluminum pigmented or white
		Erakote	UV resistant aliphatic top coat in medium gloss white
Single Ply (Acrylic)	Primer	Primer I	PU primer for single-ply restoration of EPDM, CSPE (Hypalon), to improve adhesion
	Acrylic Finish Coat	EG 1000	Top coating
		EG 1000 Winter	Top coating tinted light blue to speed drying time and bleaches to white over time
		EG 1000 QC	Top coating that cures independently of ambient humidity
		EG GC	Top Coating
Asphalt (Acrylic)	Acrylic Primer	Erlastic	Primer for asphalt substrates, to improve adhesion
	Acrylic Base/Finish Coat	EG 500	Base & top coating for asphalt substrates, not to be used with Erlastic
	Acrylic Finish Coat	EG 1000	Top coating
		EG GC	Top Coating
PU Foam System	Can use either acrylic or polyurethane systems as outlined for single ply restoration without Primer I		



COATINGS CHART



*Denotes Energy Star Compliance for Reflectivity

Product	Type	Chemistry	Description
Primer/Surfacer	Primer	PU single component moisture cure, Solvent Based	Polyurethane (PU) Metal Primer - Protects metal surface from rust, corrosion & chemical action. Aluminum pigmented.
HER	Sealant	PU single component moisture cure, SB	Sealant for metal roof fasteners & seams. Sealant around roof penetrations. Utilized for brushing and pumping applications.
Erathane 300 Base Coat	Base Coat	PU single component moisture cure, SB	High solids sprayable base coating for polyurethane foam, concrete, asphalt restoration and single-ply restoration.
*Erathane 300 Finish Coat	Finish Coat	PU single component moisture cure, SB	UV resistant, aluminum pigmented or white, finish coat for Erathane 300 Base Coat & other UV sensitive coatings. Provides protection directly over metal, polyurethane foam & other substrates.
*Erapote	Coating	Aliphatic PU single component moisture cure, SB	UV resistant aliphatic top coat in medium gloss white for application over polyurethane foam & UV sensitive coatings. Excellent chemical resistance and durability.
*Eraguard 500	Coating	Acrylic, WB	A versatile economic coating to provide weathering protection to aged asphalt BUR & Modified Bitumen.
*Eraguard (EG) 1000	Coating	Acrylic, WB	Top coating to provide UV protection to spray polyurethane foam, UV sensitive coatings - over metal, wood, aged asphalt, single-ply restoration.
*EG 1000 Winter	Coating	Acrylic, WB	Top coating to provide UV protection to spray polyurethane foam, UV sensitive coatings - over metal, wood, aged asphalt, single-ply restoration. Coating is tinted light blue to speed drying time and bleaches to white over time.
*EG 1000 QC	Coating	Acrylic, WB	Top coating that cures independently of ambient humidity and provides protection to spray polyurethane foam, metal and single-ply restoration. (Eraguard 1000 Quick Cure)
EG 1000 GC	Coating	Acrylic, WB	Top coating to provide UV protection to spray polyurethane foam, UV sensitive coatings - over metal, wood, aged asphalt, single-ply restoration.
Eraguard 2000	Primer	Modified Acrylic, WB	Water-based metal primer with rust inhibitor.
Eraguard 4000	Coating	Silicone, SB	Spray applied protection for polyurethane spray foam.
*ERLASTIC	Coating	Acrylic, WB	Acrylic base coat over new or aged BUR and Mod Bit.
ReflectiClean	Coating	Fluoropolymer Acrylic, WB	Coating for fluoropolymer painted metal roofs. Excellent adhesion to Kynar and Hylar based paints. Superior color retention and fade resistance.
Primer I	Primer	PU Single Component, SB	Primer for single-ply restoration of EPDM, CSPE (Hypalon), to improve adhesion of coatings to the membrane.
Black Foam Primer	Primer	Acrylic Single Component, WB	Primer for wood, concrete, and polyurethane foam. It is black in color to promote rapid drying & is designed to improve adhesion between substrate and spray foam.
Primer WB EPDM	Primer	Single Component, WB	Primer WB EPDM is a single component water-based primer designed to improve adhesion of coatings to EPDM, TPO, Hypalon and other single-ply membranes.
Primer CR	Primer	Single Component, SB	Primer CR is a single component solvent-based primer designed to improve adhesion of coatings to low surface energy substrates including Elvaloy (PVC), TPO and painted metal.