

**CERTIFICATION LETTER**

We certify that Dymonic® has been tested against ASTM C 920, Standard Specification for Elastomeric Joint Sealants and does conform to the specification requirements and is classified as follows:

Type: S	(Single Component)
Grade: NS	(Non-sag)
Class: 25	(+/- 25% joint movement)
Use: NT	(Non-traffic)
M	(Mortar)
A	(Aluminum)
O	(Other)

We further certify that Dymonic conforms to the requirements of Federal Specification TT-S-00230C, Type II, Class A.

Dymonic meets CAN/CGSB 19.13, M.87.

Dymonic may be used in official establishments operating under the **United States Department of Agriculture** Federal Meat and Poultry products inspection program. Tremco certifies Dymonic meets the compositional requirements for use in USDA regulated facilities for situations involving incidental food contact provided the sealant be used in a manner that prevents indirect contamination of edible products. The sealant must be allowed to cure according to manufacturer's recommendations prior to any indirect food contact. The sealant does not contain antimony, arsenic, cadmium, selenium, carcinogens, mutagens or teratogens.

Dymonic may be used in registered establishments operating under the **Canadian Food Inspection Agency**. The Canadian Food Inspection Agency has approved Dymonic for use in CFIA regulated facilities for situations involving non food contact.

Dymonic is listed with **Underwriters Laboratories of Canada** in the following system: JF19

Dymonic is listed with **Warnock-Hersey** in the following system: TL/PV 120-02