

REVISION DATE: 12-16-2014 SUPERSEDES: 12-04-2014

## SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY INFORMATION

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street

Aurora, IL 60504

Phone: 1-800-552-6225

Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

PRODUCT INFORMATION

PRODUCT NUMBER: CHILDERS CP-52 C
PRODUCT NAME: CHILDERS CP-52 C

PRODUCT DESCRIPTION: Adhesive PRODUCT IDENTIFIER: 801827PM

# **SECTION 2: HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW

PHYSICAL STATE: Liquid

COLOR: Opaque White

ODOR: Sweet

Cancer hazard.

### POTENTIAL HEALTH EFFECTS BY ROUTE OF ENTRY

EYE: Can cause minor irritation, tearing and reddening.

SKIN: Can cause minor skin irritation, defatting, and dermatitis.

INHALATION: Can cause minor respiratory irritation. Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

Overexposure to crystalline silica may cause silicosis.

\*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

INGESTION: Ingestion is not an anticipated route of exposure. No hazard in normal industrial use.

LONG-TERM (CHRONIC) HEALTH EFFECTS

REPRODUCTIVE: Contains a substance(s) that is a possible reproductive system hazard based on

high dose tests with laboratory animals.

CHRONIC: Contains a material that may cause cancer.

TARGET ORGAN(S): Kidneys Liver Lungs Central nervous system

# REGULATED CARCINOGEN STATUS:

Unless noted below, this product does not contain regulated levels of NTP, IARC, ACGIH, or OSHA listed carcinogens.

Chlorinated paraffin, C14-C17

Titanium dioxide

Crystalline silica

Vinyl acetate

EXISTING HEALTH CONDITIONS AFFECTED BY EXPOSURE: Liver disease; Kidney disease; Lung disease



### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name                 | CAS#       | PERCENT |
|-------------------------------|------------|---------|
| Calcium carbonate             | 471-34-1   | 10 - 30 |
| C14-17, chlorinated paraffin  | 85535-85-9 | 1 - 5   |
| Chlorinated paraffin, C14-C17 | 61788-76-9 | 1 - 5   |
| Titanium dioxide              | 13463-67-7 | 1 - 5   |
| Ethylene glycol               | 107-21-1   | 1 - 5   |
| Crystalline silica            | 14808-60-7 | 0.1 - 1 |
| Vinyl acetate                 | 108-05-4   | 0.1 - 1 |

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

### **SECTION 4: FIRST AID MEASURES**

IF IN EYES: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF VAPORS INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

# **SECTION 5: FIRE FIGHTING MEASURES**

FLASH POINT:

AUTOIGNITION TEMPERATURE:

LOWER EXPLOSIVE LIMIT (% in air):

UPPER EXPLOSIVE LIMIT (% in air):

Not established

Not established

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide. UNUSUAL FIRE AND EXPLOSION HAZARDS: There is a possibility of pressure buildup in closed containers

when heated. Water spray may be used to cool the containers.

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide Chlorine containing gases

## SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No adverse health effects expected from the clean-up of spilled material.

Follow personal protective equipment recommendations found in Section 8

of this MSDS.

CLEAN-UP: Dike if necessary, contain spill with inert absorbent and transfer to containers

for disposal. Keep spilled product out of sewers, watersheds, or water

systems.

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300



# **SECTION 7: HANDLING AND STORAGE**

Handling: No special handling instructions due to toxicity.

Storage: Store in a cool, dry place.

Consult the Technical Data Sheet for specific storage instructions.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Wear safety glasses when handling this product.

SKIN PROTECTION: Avoid skin contact by wearing chemically resistant gloves.

GLOVES: Not normally required. Use nitrile gloves if conditions warrant.

RESPIRATORY PROTECTION: Respiratory protection may be required to avoid overexposure when

handling this product. Use a respirator if general room ventilation is

not available or sufficient to eliminate symptoms.

Respirators should be selected by and used following requirements

found in OSHA's respirator standard (29 CFR 1910.134).

VENTILATION: Use local exhaust ventilation or other engineering controls to

minimize exposures.

#### **EXPOSURE LIMITS:**

| Chemical Name                 | ACGIH EXPOSURE LIMITS                                   | OSHA PEL   |
|-------------------------------|---|--|
| Calcium carbonate             | No data available.                                      | 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)   |
| C14-17, chlorinated paraffin  | No data available.                                      | Not established  |
| Chlorinated paraffin, C14-C17 | No data available.                                      | Not established  |
| Titanium dioxide              | 10 mg/m3 TWA  | 15 mg/m3 TWA (total dust)  |
| Ethylene glycol               | TWA Not established<br>100 mg/m3 Ceiling (aerosol only) | Not established  |
| Crystalline silica            | 0.025 mg/m3 TWA (respirable fraction)                   | ((250)/(%SiO2 + 5) mppcf TWA (respirable));<br>((10)/(%SiO2 + 2) mg/m3 TWA (respirable));<br>((30)/(%SiO2 + 2) mg/m3 TWA (total dust)) |
| Vinyl acetate                 | 10 ppm TWA<br>15 ppm STEL                               | Not established  |

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE: Liquid

COLOR: Opaque White

ODOR: Sweet

ODOR THRESHOLD: Not established

WEIGHT PER GALLON (lbs.): 9.80 SPECIFIC GRAVITY: 1.170 SOLIDS (% by weight): 41.0

pH: Not established FLASH POINT: Non flammable BOILING POINT (deg. C): Not established



FREEZING/MELTING POINT (deg. C):

VAPOR PRESSURE (mm Hg):

VAPOR DENSITY:

Not established

VAPORATION RATE:

Not established

OCTANOL/WATER COEFFICIENT:

Not established

VOC, weight percent 2.13

VOC, EPA Method 24 (theoretically determined) 24.9g/liter of material VOC, EPA Method 24, less water and exempt solvents 60.8g/liter of material

(theoretically determined)

### **SECTION 10: STABILITY AND REACTIVITY**

STABILITY: Stable under normal conditions.

CHEMICAL INCOMPATIBILITY: Not established HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Chlorine

containing gases

## **SECTION 11: TOXICOLOGICAL INFORMATION**

| COMPONENT                     | LD50 ORAL                  | LC50 INHALATION                         | LD50 DERMAL                      |
|-------------------------------|----------------------------|---|----------------------------------|
| Calcium carbonate             | Oral LD50 Rat = 6450 mg/kg |   |                                  |
| C14-17, chlorinated paraffin  | Oral LD50 Rat > 22 ml/kg   |   |                                  |
| Chlorinated paraffin, C14-C17 | Not established            |   |                                  |
| Titanium dioxide              | Not established            |   |                                  |
| Ethylene glycol               | Oral LD50 Rat = 4700 mg/kg |   | Dermal LD50 Rabbit = 10 ml/kg    |
| Crystalline silica            | Not established            |   |                                  |
| Vinyl acetate                 | Oral LD50 Rat = 2920 mg/kg | Inhalation LC50 Rat = 11,400 mg/cu m/4H | Dermal LD50 Rabbit = 2,320 mg/kg |

TOXICOLOGY SUMMARY: No additional health information available.

#### **SECTION 12: ECOLOGICAL INFORMATION**

OVERVIEW: No ecological information available for this product.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

# SECTION 14: TRANSPORTATION INFORMATION

Consult Bill of Lading for transportation information.

DOT: NOT REGULATED IATA: NOT REGULATED

### **SECTION 15: REGULATORY INFORMATION**

**INVENTORY STATUS** 

U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's

Inventory requirements.

CANADIAN CEPA DSL: The components of this product are included on the DSL or are exempt from

DSL requirements.



EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product cannot be

imported into Europe unless the REACH requirements are met.

AUSTRALIA AICS: This product is in compliance with the Australian Inventory of Chemical

Substances requirements.

KOREAN TCCL: This product is in compliance with the Korean Existing Chemicals List

requirements.

PHILIPPINES: This product is in compliance with the Philippine Inventory of Chemicals and

Chemical Substances requirements.

CHINA: This product is in compliance with the Inventory of Existing Chemical

Substances in China (IECSC) requirements.

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at 651-236-5858 (USA) or 450-651-5498 x4 (Canada) to request an export review.

#### FEDERAL REPORTING

#### EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

| Chemical Name   | CAS#     | %       |
|-----------------|----------|---------|
| Ethylene glycol | 107-21-1 | 1 - 5   |
| Vinyl acetate   | 108-05-4 | 0.1 - 1 |

WHMIS STATUS: Unless listed below, this product is not controlled under the Canadian Workplace Hazardous Materials Information System.

D2A D2B

#### STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

| Chemical Name/List     |                       | CAS        | Percent      |
|------------------------|-----------------------|------------|--------------|
| Titanium dioxide       | (Carcinogen)          | 13463-67-7 | 1 - 5        |
| Quartz                 | (Carcinogen)          | 14808-60-7 | 0.1 - 1      |
| ISOBUTYL METHYL KETONE | (Carcinogen)          | 108-10-1   | 0.01 - 0.1   |
| Acetaldehyde           | (Carcinogen)          | 75-07-0    | 0.001 - 0.01 |
| Dibromoacetonitrile    | (Carcinogen)          | 3252-43-5  | 0.001 - 0.01 |
| Methanol               | (Developmental toxin) | 67-56-1    | 0.01 - 0.1   |
| Methyl isobutyl ketone | (Developmental toxin) | 108-10-1   | 0.01 - 0.1   |

#### **SECTION 16: ADDITIONAL INFORMATION**

This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 0 FLAMMABILITY -- 0 REACTIVITY -- 0

See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

Prepared by: The Global Regulatory Department

Phone: 651-236-5842



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B.Fuller Construction Products, Inc. from its suppliers, and because H.B.Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B.Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B.Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B.Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.